

L Number	Hits	Search Text	DB	Time stamp
1	181202	photoelectric or photodiode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:39
2	10593	voltage adj conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:39
3	1322	(photoelectric or photodiode) and (voltage adj conversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:39
4	881184	amplif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:39
5	1072	((photoelectric or photodiode) and (voltage adj conversion)) and amplif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:40
6	26351	(photo adj detect\$4) or PDIC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:41
7	102	((((photoelectric or photodiode) and (voltage adj conversion)) and amplif\$5) and ((photo adj detect\$4) or PDIC))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:41
8	26889	current adj mirror	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:42
9	12	(((((photoelectric or photodiode) and (voltage adj conversion)) and amplif\$5) and ((photo adj detect\$4) or PDIC)) and (current adj mirror))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:42
10	455473	bias	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:42
11	7	(((((photoelectric or photodiode) and (voltage adj conversion)) and amplif\$5) and ((photo adj detect\$4) or PDIC)) and (current adj mirror)) and bias	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:42
12	426888	feedback or (fed near back)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:42
13	6	(((((photoelectric or photodiode) and (voltage adj conversion)) and amplif\$5) and ((photo adj detect\$4) or PDIC)) and (current adj mirror)) and bias) and (feedback or (fed near back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:42

14	3134983	resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:43
15	6	(((((photoelectric or photodiode) and (voltage adj conversion)) and amplif\$5) and ((photo adj detect\$4) or PDIC)) and (current adj mirror)) and bias) and (feedback or (fed near back))) and resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:45
16	7	((read or write) adj current adj mirror)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:46
17	2347115	switch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:46
19	0	((((read or write) adj current adj mirror)) and switch\$5) and (photoelectric or photodiode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:47
20	3	photocurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:47
21	0	((((read or write) adj current adj mirror)) and switch\$5) and photocurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:47
18	7	((read or write) adj current adj mirror)) and switch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:49
22	428	(photoelectric or photodiode) and amplif\$5 and (current adj mirror) and switch\$5 and resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:51
23	292	((photoelectric or photodiode) and amplif\$5 and (current adj mirror) and switch\$5 and resist\$4) and (feedback or (fed near back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:52
24	3367	(infinite or limited) near2 gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:53
25	9	((photoelectric or photodiode) and amplif\$5 and (current adj mirror) and switch\$5 and resist\$4) and (feedback or (fed near back))) and ((infinite or limited) near2 gain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:55
26	0	current near voltage near onversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:55
27	4135	current near voltage near conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:56

28	2622	current adj voltage adj conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:56
29	718	(current near voltage near conversion) and (photoelectric or photodiode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:57
30	600	((current near voltage near conversion) and (photoelectric or photodiode)) and amplif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:57
31	74	((((current near voltage near conversion) and (photoelectric or photodiode)) and amplif\$5) and (current adj mirror)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:57
32	16	(((((current near voltage near conversion) and (photoelectric or photodiode)) and amplif\$5) and (current adj mirror)) and (feedback adj resist\$5) .	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/04 13:58